

Risk Assessment Form (RA1)

Department:	Service:		Refe	erence:		
Activity: Use of candles in school during Worship and o	Site: School Name					
People at Risk: Pupils, Staff, Visitors		Additional In	formation:			
Name of Person Completing Form: OF	Job Title	e: HT	Date: March 2023	Review Date: TBC		

Hazard	Risk	Initial Rating	Existing Control Measures	Final Rating	Additional Action Required (action by whom and completion date – use
Fire caused by freestanding candles.	Burns to skin, damage to buildings	L, M, H H	Good quality, slow burning candles are used. Candles to be kept clear of combustible items such as altar materials, wall hangings, decorations, foliage etc. Candles are placed in suitable holders on non combustible surfaces such as stone place mats. School has fire extinguishers located throughout school (water extinguishers are most effective for paper, foliage fires) and near to area where candles are used. The fire extinguishers are regularily serviced and staff have been trained to use them. A fire bucket containing sand is located nearby to enable flames to be quickly and safely extinguised. A fire blanket is avaible for dealing with certain situations, such as burning clothes. Means to snuff out candle is available. Candles are extinguished as soon as practicable. Children are not left unsupervised.	L, M, H	(action by whom and completion date – use separate Action Plan if necessary)
			First aider is available		

Pupils holding a Burns from wax. H Children are given a safety talk on dangers of candles M Ensure that only children de candle leading to Severe burns from such as hot wax and fire prior to holding candle. mature enough to comply	date – use ssary)
the ignition of clothing, hair etc. clothings clothing or other pupils when clothing or other pupils clothing / hair. A suitable distance is maintained between pupils when	y with

NCC Page 2 of 3

Hazard	Risk	Initial Rating L, M, H	Existing Control Measures		Additional Action Required (action by whom and completion date – use separate Action Plan if necessary)
			sitting in rows to prevent accidental contact with flames or wax. Means to snuff out candle is accessible to staff at all times. Candles are extinguished as soon as practicable Children are not left unsupervised First aiders are available		
Fire caused by candles	Burns to skin, damage to building by fire	Н	Votive candles and tea tree lights are avoided where possible as they can become very hot. If such candles are used, they should be used with a suitable holder and kept on a heat proof surface. They should be extinguished as soon as practicable. Children are not left unsupervised.	М	

NCC Page 3 of 3